

Carbonic anhydrase hydrates carbon dioxide (mitochondria)

Jassal, B., May, B., Silverman, DN.

European Bioinformatics Institute, New York University Langone Medical Center, Ontario Institute for Cancer Research, Oregon Health and Science University.

The contents of this document may be freely copied and distributed in any media, provided the authors, plus the institutions, are credited, as stated under the terms of [Creative Commons Attribution 4.0 International \(CC BY 4.0\) License](https://creativecommons.org/licenses/by/4.0/). For more information see our [license](https://reactome.org/licenses/).

28/04/2024

Introduction

Reactome is open-source, open access, manually curated and peer-reviewed pathway database. Pathway annotations are authored by expert biologists, in collaboration with Reactome editorial staff and cross-referenced to many bioinformatics databases. A system of evidence tracking ensures that all assertions are backed up by the primary literature. Reactome is used by clinicians, geneticists, genomics researchers, and molecular biologists to interpret the results of high-throughput experimental studies, by bioinformaticians seeking to develop novel algorithms for mining knowledge from genomic studies, and by systems biologists building predictive models of normal and disease variant pathways.

The development of Reactome is supported by grants from the US National Institutes of Health (P41 HG003751), University of Toronto (CFREF Medicine by Design), European Union (EU STRP, EMI-CD), and the European Molecular Biology Laboratory (EBI Industry program).

Literature references

- Fabregat, A., Sidiropoulos, K., Viteri, G., Forner, O., Marin-Garcia, P., Arnau, V. et al. (2017). Reactome pathway analysis: a high-performance in-memory approach. *BMC bioinformatics*, 18, 142. [↗](#)
- Sidiropoulos, K., Viteri, G., Sevilla, C., Jupe, S., Webber, M., Orlic-Milacic, M. et al. (2017). Reactome enhanced pathway visualization. *Bioinformatics*, 33, 3461-3467. [↗](#)
- Fabregat, A., Jupe, S., Matthews, L., Sidiropoulos, K., Gillespie, M., Garapati, P. et al. (2018). The Reactome Pathway Knowledgebase. *Nucleic Acids Res*, 46, D649-D655. [↗](#)
- Fabregat, A., Korninger, F., Viteri, G., Sidiropoulos, K., Marin-Garcia, P., Ping, P. et al. (2018). Reactome graph database: Efficient access to complex pathway data. *PLoS computational biology*, 14, e1005968. [↗](#)

Reactome database release: 88


This document contains 1 reaction ([see Table of Contents](#))

Carbonic anhydrase hydrates carbon dioxide (mitochondria) ↗

Stable identifier: R-HSA-1475032

Type: transition

Compartments: mitochondrial matrix



Carbonic anhydrase VA (CA5A, Nagao et al. 1993, Franchi et al. 2003, Nishimori et al. 2007) and carbonic anhydrase VB (CA5B, Fujikawa-Adachi et al. 1999, Nishimori et al. 2005, Nishimori et al. 2007) hydrate carbon dioxide in mitochondria to yield bicarbonate and a proton. Carbonic anhydrase deprotonates water to yield a zinc-hydroxyl group and a proton which is transferred to external buffer molecules via histidine or glutamate residues in carbonic anhydrase. The hydroxyl group reacts with carbon dioxide in the active site to yield bicarbonate. A water molecule displaces the bicarbonate and the reaction cycle begins again (reviewed in Lindskog 1997). Depending on the concentrations of reactants the reaction is reversible.

Literature references

- Nishimori, I., Fujikawa-Adachi, K., Taguchi, T., Onishi, S. (1999). Human mitochondrial carbonic anhydrase VB. cDNA cloning, mRNA expression, subcellular localization, and mapping to chromosome x. *J Biol Chem*, 274, 21228-33. ↗
- Innocenti, A., Nishimori, I., Supuran, CT., Scozzafava, A., Mastrolorenzo, A., Vullo, D. (2005). Carbonic anhydrase inhibitors. The mitochondrial isozyme VB as a new target for sulfonamide and sulfamate inhibitors. *J Med Chem*, 48, 7860-6. ↗
- Nagao, Y., Sly, WS., Platero, JS., Waheed, A. (1993). Human mitochondrial carbonic anhydrase: cDNA cloning, expression, subcellular localization, and mapping to chromosome 16. *Proc Natl Acad Sci U S A*, 90, 7623-7. ↗
- Innocenti, A., Nishimori, I., Supuran, CT., Scozzafava, A., Vullo, D. (2007). Carbonic anhydrase inhibitors: the inhibition profiles of the human mitochondrial isoforms VA and VB with anions are very different. *Bioorg Med Chem*, 15, 6742-7. ↗
- Wurl, M., Supuran, CT., Scozzafava, A., Antel, J., Franchi, M., Gallori, E. et al. (2003). Carbonic anhydrase inhibitors: inhibition of human and murine mitochondrial isozymes V with anions. *Bioorg Med Chem Lett*, 13, 2857-61. ↗

Editions

2011-08-06	Authored, Edited	May, B.
2012-05-16	Reviewed	Jassal, B., Silverman, DN.