

PI3P is dephosphorylated to PI by MTM proteins at the early endosome membrane

Orlic-Milacic, M., Rush, MG., Wakelam, M., Williams, MG.

European Bioinformatics Institute, New York University Langone Medical Center, Ontario Institute for Cancer Research, Oregon Health and Science University.

The contents of this document may be freely copied and distributed in any media, provided the authors, plus the institutions, are credited, as stated under the terms of <u>Creative Commons Attribution 4.0 International (CC BY 4.0)</u>
<u>License</u>. For more information see our <u>license</u>.

03/05/2024

https://reactome.org

Introduction

Reactome is open-source, open access, manually curated and peer-reviewed pathway database. Pathway annotations are authored by expert biologists, in collaboration with Reactome editorial staff and cross-referenced to many bioinformatics databases. A system of evidence tracking ensures that all assertions are backed up by the primary literature. Reactome is used by clinicians, geneticists, genomics researchers, and molecular biologists to interpret the results of high-throughput experimental studies, by bioinformaticians seeking to develop novel algorithms for mining knowledge from genomic studies, and by systems biologists building predictive models of normal and disease variant pathways.

The development of Reactome is supported by grants from the US National Institutes of Health (P41 HG003751), University of Toronto (CFREF Medicine by Design), European Union (EU STRP, EMI-CD), and the European Molecular Biology Laboratory (EBI Industry program).

Literature references

- Fabregat, A., Sidiropoulos, K., Viteri, G., Forner, O., Marin-Garcia, P., Arnau, V. et al. (2017). Reactome pathway analysis: a high-performance in-memory approach. *BMC bioinformatics*, 18, 142.
- Sidiropoulos, K., Viteri, G., Sevilla, C., Jupe, S., Webber, M., Orlic-Milacic, M. et al. (2017). Reactome enhanced pathway visualization. *Bioinformatics*, 33, 3461-3467.
- Fabregat, A., Jupe, S., Matthews, L., Sidiropoulos, K., Gillespie, M., Garapati, P. et al. (2018). The Reactome Pathway Knowledgebase. *Nucleic Acids Res, 46*, D649-D655.
- Fabregat, A., Korninger, F., Viteri, G., Sidiropoulos, K., Marin-Garcia, P., Ping, P. et al. (2018). Reactome graph data-base: Efficient access to complex pathway data. *PLoS computational biology, 14*, e1005968.

Reactome database release: 88

This document contains 1 reaction (see Table of Contents)


https://reactome.org Page 2

PI3P is dephosphorylated to PI by MTM proteins at the early endosome membrane

Stable identifier: R-HSA-1676141

Type: transition

Compartments: early endosome membrane, cytosol



At the early endosome membrane, myotubularin (MTM1), myotubularin-related protein 2 (MTMR2), and myotubularin-related protein 4 (MTMR4) dephosphorylate phosphatidylinositol 3-phosphate (PI3P) to phosphatidylinositol (PI).

The following lists the above proteins with their corresponding literature references: MTM1 (Cao et al. 2007, Cao et al. 2008, Kim et al. 2002), MTMR2 (Cao et al. 2008, Kim et al. 2002), and MTMR4 (Lorenzo et al. 2006, Zhao et al. 2001).

Literature references

Lorenzo, O., Clague, MJ., Urbé, S. (2006). Systematic analysis of myotubularins: heteromeric interactions, subcellular localisation and endosome related functions. *J Cell Sci*, 119, 2953-9.

Zhao, R., Zhao, ZJ., Chen, J., Qi, Y. (2001). FYVE-DSP2, a FYVE domain-containing dual specificity protein phosphatase that dephosphorylates phosphotidylinositol 3-phosphate. *Exp Cell Res*, 265, 329-38. *¬*

Bedrick, EJ., Wandinger-Ness, A., Cao, C., Laporte, J., Backer, JM. (2008). Sequential actions of myotubularin lipid phosphatases regulate endosomal PI(3)P and growth factor receptor trafficking. *Mol Biol Cell*, 19, 3334-46.

Wandinger-Ness, A., Cao, C., Laporte, J., Stein, MP., Backer, JM. (2007). Myotubularin lipid phosphatase binds the hVPS15/hVPS34 lipid kinase complex on endosomes. *Traffic, 8*, 1052-67. *¬*

Taylor, GS., Torgersen, KM., Kim, SA., Dixon, JE. (2002). Myotubularin and MTMR2, phosphatidylinositol 3-phosphatases mutated in myotubular myopathy and type 4B Charcot-Marie-Tooth disease. *J Biol Chem, 277*, 4526-31. *对*

Editions

2011-08-12	Edited	Williams, MG.
2011-10-18	Authored	Williams, MG.
2012-05-14	Reviewed	Wakelam, M.
2017-01-10	Reviewed	Rush, MG.
2017-01-25	Edited	Orlic-Milacic, M.