

# ATP hydrolysis by HSP70

Echeverria, PC., Picard, D., Rothfels, K., Shamovsky, V.

European Bioinformatics Institute, New York University Langone Medical Center, Ontario Institute for Cancer Research, Oregon Health and Science University.

The contents of this document may be freely copied and distributed in any media, provided the authors, plus the institutions, are credited, as stated under the terms of <u>Creative Commons Attribution 4.0 International (CC BY 4.0)</u> <u>License</u>. For more information see our <u>license</u>.

13/05/2024

# Introduction

Reactome is open-source, open access, manually curated and peer-reviewed pathway database. Pathway annotations are authored by expert biologists, in collaboration with Reactome editorial staff and cross-referenced to many bioinformatics databases. A system of evidence tracking ensures that all assertions are backed up by the primary literature. Reactome is used by clinicians, geneticists, genomics researchers, and molecular biologists to interpret the results of high-throughput experimental studies, by bioinformaticians seeking to develop novel algorithms for mining knowledge from genomic studies, and by systems biologists building predictive models of normal and disease variant pathways.

The development of Reactome is supported by grants from the US National Institutes of Health (P41 HG003751), University of Toronto (CFREF Medicine by Design), European Union (EU STRP, EMI-CD), and the European Molecular Biology Laboratory (EBI Industry program).

## Literature references

- Fabregat, A., Sidiropoulos, K., Viteri, G., Forner, O., Marin-Garcia, P., Arnau, V. et al. (2017). Reactome pathway analysis: a high-performance in-memory approach. *BMC bioinformatics, 18*, 142. 7
- Sidiropoulos, K., Viteri, G., Sevilla, C., Jupe, S., Webber, M., Orlic-Milacic, M. et al. (2017). Reactome enhanced pathway visualization. *Bioinformatics*, 33, 3461-3467. A
- Fabregat, A., Jupe, S., Matthews, L., Sidiropoulos, K., Gillespie, M., Garapati, P. et al. (2018). The Reactome Pathway Knowledgebase. *Nucleic Acids Res, 46*, D649-D655. ↗
- Fabregat, A., Korninger, F., Viteri, G., Sidiropoulos, K., Marin-Garcia, P., Ping, P. et al. (2018). Reactome graph database: Efficient access to complex pathway data. *PLoS computational biology*, *14*, e1005968. *オ*

This document contains 1 reaction (see Table of Contents)

## ATP hydrolysis by HSP70 ↗

Stable identifier: R-HSA-3371422

#### Type: transition

#### Compartments: cytosol



Heat shock protein 70 (HSP70) proteins bind and release client polypeptides in a cycle of cochaperone-mediated conformational changes that is coupled to ATP binding and hydrolysis (Mayer MP 2013). The overall domain structure of all HSP70 chaperone proteins is evolutionary conserved: the N-terminal nucleotide-binding domain (NBD) with ATPase activity is joined by a flexible linker to the C-terminal polypeptide substrate-binding domain (SBD). Most of our mechanistic understanding of HSP70 structure and function has come from analyses of Escherichia coli HSP70 family member, DnaK (Pellecchia M et al. 2000; Schuermann, JP et al. 2008; Bertelsen EB et al. 2009; Kityk R et al. 2012; Qi R et al. 2013). Chaperone function of bacterial DnaK involves an allosteric control mechanism between its two functional domains NBD and SBD. ATP binding and hydrolysis modulates the affinity of bacterial HSP70 protein for polypeptides, and polypeptide binding stimulates ATP hydrolysis (Mayer MP et al. 2000; Kityk R et al. 2012; Qi R et al. 2013). Also in the ATP-bound form, the lid domain remains open, which facilitates transient interactions with substrates. Following ATP hydrolysis, a conformational change releases the SBD, resulting in closure of the lid and a ~10-fold increase in the affinity for substrate (Wittung-Stafshede P et al. 2003; Slepenkov SV & Witt SN 2002). The conformation change associated with ATP hydrolysis is communicated through a key proline switch and involves the conserved, hydrophobic linker that connects the NBD to the SBD (Vogel M et al. 2006; Swain JF et al. 2007). ATP hydrolysis is essential for HSP70 chaperones, but the intrinsic ATPase rate is very low (Chang L et al. 2008). This ATPase activity of HSP70 is stimulated by protein substrates in synergism with J domain cochaperones (HSP40s) (Karzai AW & McMacken R 1996; Russell R et al. 1999; Laufen T et al. 1999; Landry SJ 2003; Wittung-Stafshede P et al. 2003).

The HSP70 family of chaperone proteins is one of the most conserved protein families in evolution (Takayama S et al. 1999; Boorstein WR et al. 1994; Brocchieri L et al. 2008). The sequence alignment of eukaryotic and bacterial HSP70 proteins revealed that the human HSP70 SBD is highly homologous to the DnaK SBD (51% sequence identity in the full-length protein and 47% identity in the SBD) (Zhang P et al. 2014). Moreover, the crystal structure of the substrate-bound human HSP70-SBD resembled the overall fold of the corresponding domain in the substrate-bound DnaK structures, confirming a similar overall architecture of the orthologous bacterial and human HSP70 proteins (Zhang P et al. 2014). Structures of nucleotide-binding domains of four human HSP70 isoforms: HSPA1L, HSPA2, HSPA6 and HSPA5 also support the view that the NBDs of human HSP70 function by conserved mechanisms (Wisniewska M et al. 2014). Structural analysis of a functionally intact bovine Hsp70 family member Hsc70 together with analysis of mutants in the interdomain linker and interface support the allosteric mechanism of the mammalian HSP70 chaperones (Wilbanks SM & McKay DB 1998; Jiang J et al. 2005).

## Literature references

Mayer, MP. (2013). Hsp70 chaperone dynamics and molecular mechanism. Trends Biochem. Sci., 38, 507-14. 🛪

Moche, M., Kotenyova, T., Lehtiö, L., Schüler, H., Wisniewska, M., Karlberg, T. et al. (2010). Crystal structures of the ATPase domains of four human Hsp70 isoforms: HSPA1L/Hsp70-hom, HSPA2/Hsp70-2, HSPA6/Hsp70B', and HSPA5/BiP/GRP78. *PLoS ONE*, *5*, e8625. 7

# Editions

2016-09-17	Reviewed	Rothfels, K.
2016-11-19	Authored	Shamovsky, V.
2017-02-22	Reviewed	Picard, D., Echeverria, PC.
2017-02-25	Edited	Shamovsky, V.