

DNMT1 methylates cytosine in hemi-methylated DNA

Beekman, R., Martín-Subero, JI., May, B.

European Bioinformatics Institute, New York University Langone Medical Center, Ontario Institute for Cancer Research, Oregon Health and Science University.

The contents of this document may be freely copied and distributed in any media, provided the authors, plus the institutions, are credited, as stated under the terms of [Creative Commons Attribution 4.0 International \(CC BY 4.0\) License](https://creativecommons.org/licenses/by/4.0/). For more information see our [license](https://reactome.org/licenses/).

02/05/2024

Introduction

Reactome is open-source, open access, manually curated and peer-reviewed pathway database. Pathway annotations are authored by expert biologists, in collaboration with Reactome editorial staff and cross-referenced to many bioinformatics databases. A system of evidence tracking ensures that all assertions are backed up by the primary literature. Reactome is used by clinicians, geneticists, genomics researchers, and molecular biologists to interpret the results of high-throughput experimental studies, by bioinformaticians seeking to develop novel algorithms for mining knowledge from genomic studies, and by systems biologists building predictive models of normal and disease variant pathways.

The development of Reactome is supported by grants from the US National Institutes of Health (P41 HG003751), University of Toronto (CFREF Medicine by Design), European Union (EU STRP, EMI-CD), and the European Molecular Biology Laboratory (EBI Industry program).

Literature references

- Fabregat, A., Sidiropoulos, K., Viteri, G., Forner, O., Marin-Garcia, P., Arnau, V. et al. (2017). Reactome pathway analysis: a high-performance in-memory approach. *BMC bioinformatics*, 18, 142. [↗](#)
- Sidiropoulos, K., Viteri, G., Sevilla, C., Jupe, S., Webber, M., Orlic-Milacic, M. et al. (2017). Reactome enhanced pathway visualization. *Bioinformatics*, 33, 3461-3467. [↗](#)
- Fabregat, A., Jupe, S., Matthews, L., Sidiropoulos, K., Gillespie, M., Garapati, P. et al. (2018). The Reactome Pathway Knowledgebase. *Nucleic Acids Res*, 46, D649-D655. [↗](#)
- Fabregat, A., Korninger, F., Viteri, G., Sidiropoulos, K., Marin-Garcia, P., Ping, P. et al. (2018). Reactome graph database: Efficient access to complex pathway data. *PLoS computational biology*, 14, e1005968. [↗](#)

Reactome database release: 88

This document contains 1 reaction ([see Table of Contents](#))


DNMT1 methylates cytosine in hemimethylated DNA ↗

Stable identifier: R-HSA-5334151

Type: transition

Compartments: nucleoplasm

Inferred from: [Dnmt1 methylates cytosine in hemimethylated DNA \(Mus musculus\)](#)



DNMT1 transfers a methyl group from S-adenosylmethionine to the 5-position of the cytosine ring of cytosine residues in DNA. Purified human DNMT1 shows a 7 to 21-fold preference for hemimethylated CG motifs in DNA compared to unmethylated CG motifs (Pradhan et al. 1999) thus DNMT1 tends to maintain existing methylation through DNA replication. The binding of the CXXC motif of DNMT1 to cytosine in symmetrically unmethylated CG dinucleotides prevents access of cytosine to the active site and thereby prevents de novo methylation (Song et al. 2011). UHRF1 binds hemimethylated DNA and histone H3 tails methylated at lysine-9 and recruits DNMT1 to methylate hemimethylated DNA (Bostick et al. 2007, reviewed in Ooi and Bestor 2008). Interaction of UHRF1 with DNMT1 increases the methylation activity of DNMT1 about 5-fold (Bashtrykov et al. 2014).

Literature references

- Rechkoblit, O., Song, J., Bestor, TH., Patel, DJ. (2011). Structure of DNMT1-DNA complex reveals a role for autoinhibition in maintenance DNA methylation. *Science*, 331, 1036-40. ↗
- Jurkowska, RZ., Bashtrykov, P., Ragozin, S., Jeltsch, A., Jankevicius, G. (2014). The UHRF1 Protein Stimulates the Activity and Specificity of the Maintenance DNA Methyltransferase DNMT1 by an Allosteric Mechanism. *J. Biol. Chem.*, 289, 4106-15. ↗
- Pradhan, S., Roberts, RJ., Bacolla, A., Wells, RD. (1999). Recombinant human DNA (cytosine-5) methyltransferase. I. Expression, purification, and comparison of de novo and maintenance methylation. *J Biol Chem*, 274, 33002-10. ↗
- Pradhan, S., Clark, A., Jacobsen, SE., Bostick, M., Kim, JK., Estève, PO. (2007). UHRF1 plays a role in maintaining DNA methylation in mammalian cells. *Science*, 317, 1760-4. ↗
- Ooi, SK., Bestor, TH. (2008). Cytosine methylation: remaining faithful. *Curr. Biol.*, 18, R174-6. ↗

Editions

2014-02-21	Authored, Edited	May, B.
2014-07-24	Reviewed	Beekman, R., Martín-Subero, JI.