

TULP3 is required for GPR161 localization in the cilium

Gillespie, ME., Liu, Y C., Rothfels, K.

European Bioinformatics Institute, New York University Langone Medical Center, Ontario Institute for Cancer Research, Oregon Health and Science University.

The contents of this document may be freely copied and distributed in any media, provided the authors, plus the institutions, are credited, as stated under the terms of [Creative Commons Attribution 4.0 International \(CC BY 4.0\) License](https://creativecommons.org/licenses/by/4.0/). For more information see our [license](https://reactome.org/licenses/).

17/05/2024

Introduction

Reactome is open-source, open access, manually curated and peer-reviewed pathway database. Pathway annotations are authored by expert biologists, in collaboration with Reactome editorial staff and cross-referenced to many bioinformatics databases. A system of evidence tracking ensures that all assertions are backed up by the primary literature. Reactome is used by clinicians, geneticists, genomics researchers, and molecular biologists to interpret the results of high-throughput experimental studies, by bioinformaticians seeking to develop novel algorithms for mining knowledge from genomic studies, and by systems biologists building predictive models of normal and disease variant pathways.

The development of Reactome is supported by grants from the US National Institutes of Health (P41 HG003751), University of Toronto (CFREF Medicine by Design), European Union (EU STRP, EMI-CD), and the European Molecular Biology Laboratory (EBI Industry program).

Literature references

Fabregat, A., Sidiropoulos, K., Viteri, G., Forner, O., Marin-Garcia, P., Arnau, V. et al. (2017). Reactome pathway analysis: a high-performance in-memory approach. *BMC bioinformatics*, 18, 142. [↗](#)

Sidiropoulos, K., Viteri, G., Sevilla, C., Jupe, S., Webber, M., Orlic-Milacic, M. et al. (2017). Reactome enhanced pathway visualization. *Bioinformatics*, 33, 3461-3467. [↗](#)

Fabregat, A., Jupe, S., Matthews, L., Sidiropoulos, K., Gillespie, M., Garapati, P. et al. (2018). The Reactome Pathway Knowledgebase. *Nucleic Acids Res*, 46, D649-D655. [↗](#)

Fabregat, A., Korninger, F., Viteri, G., Sidiropoulos, K., Marin-Garcia, P., Ping, P. et al. (2018). Reactome graph database: Efficient access to complex pathway data. *PLoS computational biology*, 14, e1005968. [↗](#)

Reactome database release: 88


This document contains 1 reaction ([see Table of Contents](#))

TULP3 is required for GPR161 localization in the cilium ↗

Stable identifier: R-HSA-5610725

Type: binding

Compartments: cilium



TULP3 and the retrograde complex IFT-A are required to recruit GPR161 to the cilium in the absence of Hh ligand (Mukhopadhyay et al, 2010; Mukhopadhyay et al, 2013; reviewed in Mukhopadhyay and Rohtagi, 2014). TULP3 is a negative regulator of Hh signaling and siRNA depletion of TULP3 reduces the ciliary accumulation of GPR161 (Norman et al, 2009; Patterson et al, 2009; Mukhopadhyay et al, 2010; Mukhopadhyay et al, 2013).

Literature references

Scales, SJ., Wen, X., Rangell, L., Jackson, PK., Loktev, A., Mukhopadhyay, S. et al. (2013). The ciliary G-protein-coupled receptor Gpr161 negatively regulates the Sonic hedgehog pathway via cAMP signaling. *Cell*, 152, 210-23. ↗

Lane, WS., Scales, SJ., Wen, X., Chih, B., Jackson, PK., Nelson, CD. et al. (2010). TULP3 bridges the IFT-A complex and membrane phosphoinositides to promote trafficking of G protein-coupled receptors into primary cilia. *Genes Dev.*, 24, 2180-93. ↗

Williams, DJ., Stewart, ME., Siggers, P., Damrau, C., Patterson, VL., Greenfield, A. et al. (2009). Mouse hitchhiker mutants have spina bifida, dorso-ventral patterning defects and polydactyly: identification of Tulp3 as a novel negative regulator of the Sonic hedgehog pathway. *Hum. Mol. Genet.*, 18, 1719-39. ↗

Sun, X., Huang, V., Ko, HW., Zhang, Z., Eggenschwiler, JT., Abler, LL. et al. (2009). Tubby-like protein 3 (TULP3) regulates patterning in the mouse embryo through inhibition of Hedgehog signaling. *Hum. Mol. Genet.*, 18, 1740-54. ↗

Rohatgi, R., Mukhopadhyay, S. (2014). G-protein-coupled receptors, Hedgehog signaling and primary cilia. *Semin. Cell Dev. Biol.*. ↗

Editions

2014-07-17	Authored	Rothfels, K.
2014-07-25	Edited	Gillespie, ME.
2014-08-01	Reviewed	Liu, Y C.